Outpatients 1 - 4

Chapel Allerton Hospital, Chapeltown Road, Leeds, LS7 4SA

0113 392 4621 (tel:0113 392 4621)

Visit website (https://www.leedsth.nhs.uk/patients-visitors/our-hospitals/chapel-allerton-hospital/)



Access Guide

Getting To The Hospital

By Road

View

- Chapel Allerton Hospital is located on Chapeltown Road to the north of Leeds.
  The postcode for use with Sat-Nav is LS7 4SA.
  From the south, the hospital can be accessed via the A61. Continue along the A61, at the junction with Meanwood Road turn right and follow the signs for 'Chapeltown'. This will take you to Chapeltown Road and after approximately 1 mile, the entrance to Chapel Allerton Hospital is on the right.,br/> From the North, the hospital can be accessed via Harrogate Road. Continue along Harrogate Road, through Chapel Allerton. At the junction with Harehills Lane, bear right on to Chapeltown Road and the entrance to Chapel Allerton Hospital is on the left.

- The car park for patients and visitors is located at the front of the hospital.,br/> The car park is 'Pay & Display' and payment can be made by cash or card. Current car parking charges are: Up to 2 hours £2.80 Up to 4 hours £5.50 Up to 6 hours £8.60 Up to 24 hours £ 12.70
  In addition to a dedicated Blue Badge car park, there are 3 Blue Badge parking bays by the main hospital entrance.,br/> Free car parking is available for Blue Badge holders in designated marked spaces. If designated spaces are full, Blue Badge holders may park in any of the patient/visitor car parks.

By Bus

View

- Buses travel frequently from Leeds City Centre to Chapel Allerton Hospital and there is a stop on Chapeltown Road close to the hospital entrance. Full details of the bus stops around the Chapel Allerton site along with route numbers can be found on the link below.,br/> The following buses serve Chapel Allerton Hospital: 2, 3, 3A, 36, 48 and 91.
- There is not an onsite bus stop.

By Train

View

- The closest station is Leeds City station which is approximately 2.5 miles from Chapel Allerton Hospital.

Useful Links

View

- Chapel Allerton site map and directions.
- **To view the web page described above click here (opens in new tab) (https://www.leedsth.nhs.uk/assets/Map-Documents/be55f37735/Chapel-Allerton-BW.pdf).**
- West Yorkshire Metro Bus Services.
- **To view the web page described above click here (opens in new tab) (https://www.wymetro.com/plan-a-journey/hospitals-by-bus/hospitals-a-to-d/).**
- National Rail Enquires.
- **To view the web page described above click here (opens in new tab) (https://www.nationalrail.co.uk/default.aspx).**

Getting Help and Assistance

- **To see the hospital map please click here (opens new tab) (https://www.leedsth.nhs.uk/assets/Map-Documents/be55f37735/Chapel-Allerton-BW.pdf).**
- There is not a Patient Advice and Liaison Service (PALS) at the hospital.
- The telephone number for the Patient Advice and Liaison Service (PALS) is 0113 206 6261 / 0113 206 7168.
- The email address for the Patient Advice and Liaison Service (PALS) is patientexperience.leedsth@nhs.net.
- There are not volunteers available for help and assistance at the hospital.
- Documents are available in an alternative format and can be provided to include: Braille on request, large print on request and different languages on request.
- There is not an assistance dog toilet or toileting area on the hospital site.
- Water bowls for assistance dogs are available on request.
- BSL interpreters can be provided on request.
- Language interpreters can be provided on request.
- A mobility scooter charging point is not available at the hospital.
- Mobility aids are available to help patients move around and include; wheelchairs.
- To obtain mobility aids please contact reception.

Hospital Parking (Blue Badge Parking)

Photos

1

2

3

4

5



6

Parking

View

- The hospital does have a dedicated car park.
- The car parking facilities are for Blue Badge holders only.
- The car park is located at the front right of the building.
- The car park type is open air/surface.
- The car park does not have a height restriction barrier.
- The car park does not have a barrier control system.
- The car park surface is tarmac.
- There is a/are Blue Badge parking bay(s) available.
- The Blue Badge bay(s) markings are faded.
- There is/are 10+ designated Blue Badge parking bay(s) within the hospital car park.
- The dimensions of the designated Blue Badge parking bay(s) surveyed are 290cm x 508cm (9ft 6in x 16ft 8in).
- There is not a 120cm hatched zone around the Blue Badge parking bay(s).
- The dimensions of other designated Blue Badge parking bay(s) vary in size.
- Parking spaces for Blue Badge holders do not need to be booked in advance.

Drop-off Point

View

- There is not a designated drop-off point.

Paying

View

- There are not parking charges for the hospital car park.

Access to the Hospital

View

- The route from the car park to the entrance is accessible to a wheelchair user with assistance.
- Assistance may be required because there is/are slopes/ramps.
- The hospital entrance is clearly visible from the car park.
- The nearest designated Blue Badge parking bay is approximately 17m (18yd 1ft) from the Main Entrance.

Comments

View

- Parking terms, stating that parking is free for Blue Badge holders, are available at the entrance to the main Blue Badge car park, and throughout the car park.
- There are 3 bays in front of the Main Entrance (shown in photographs 3 - 4).
- There is a dropped kerb in front of the Main Entrance.

Hospital Parking (Standard Parking)

Photos

1

2

3

4

5

6

7


8

9

10

11

12

Parking

View

- The hospital does have a dedicated car park.
- The car park is located at the front left of the hospital.
- The car park type is open air/surface.
- The car park does not have a height restriction barrier.
- The car park does not have a barrier control system.
- The car park surface is tarmac.
- There is not a/are not Blue Badge parking bay(s) available.

Drop-off Point

View

- There is not a designated drop-off point.

Paying

View

- There are parking charges for the hospital car park.
- Payment signs are provided.
- Payment signs are clearly presented.
- Payment signs are located at the payment machines in the car park.
- Parking is free for Blue Badge holders.
- Payment machines are located at the entrance to the main area of the car park.
- There is not a payment machine at a convenient height for wheelchair users.

Access to the Hospital

View

- The route from the car park to the entrance is not accessible to a wheelchair user.
- The hospital entrance is not clearly visible from the car park.
- The route from the car park to the hospital entrance is clearly signposted.

Comments

View

- The main visitor parking area is shown in photographs 1 - 3.
- The parking machines are located at the entrance to the main parking area.
- The overflow parking area is shown in photographs 7 - 9.
- There are 3 short stay (20 minute) bays at the front of the overflow standard visitor parking (shown in photographs 10 - 12).
- There are steps from the car park to the hospital entrance.
- Blue Badge Holders do not have to pay if they park in regular bays if the Blue Badge car park is full.

Getting To (Outpatients 1 - 4)

Photos

1

2

3



4

5

6

7

8

9

10

- Outpatients 1 - 4 is/are located on the ground floor of the hospital.
- Access to Outpatients 1 - 4 is via the Main Entrance.
- After entering the building turn right. Follow the corridor and turn left. Take the first right and proceed past the Pharmacy. Outpatients 1 - 4 is located at the end of the corridor, on left.
- There is step free access to Outpatients 1 - 4.
- Outpatients 1 - 4 is approximately 34m from the Main Entrance.
- There is a/are manual, double door(s) which may be difficult to open between the Main Entrance and the department/service.
- There are not resting areas along the route.
- Wayfinding signage is provided.
- Dementia friendly signage is not provided.
- There is flooring in corridors which is shiny and could cause issues with glare or look slippery to some people.
- There is some flooring in corridors which includes patterns or colours which could be confusing or look like steps or holes to some people.

Outside Access (Main Entrance)

Photos

1

2

3

4

5

6

7

Entrance Details

View

- This information is for the entrance located at the front of the hospital.
- The entrance area/door is clearly signed.
- There is ramped/sloped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- The entrance door(s) does not/do not contrast visually with its immediate surroundings.
- There is a dark mat or floor marking at this entrance that might be perceived as a hole.
- There is not a bell/buzzer.
- There is not an intercom.
- There is a hand sanitiser.
- The height of the hand sanitiser is 120cm (3ft 11in).
- There is not a door release button when exiting.
- Standard manual wheelchairs are available for people to borrow at this entrance.
- The main door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 99cm.
- There is a second set of doors.
- The door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 149cm.

Ramp/Slope Details

View

- The ramp/slope is located in front of the entrance.
- The ramp/slope gradient is slight.

Comments

View

- The hand sanitiser is located on the wall to the right as you enter.

Opening Times (Outpatients 1 - 4)

- Monday 08:00 - 16:30.
- Tuesday 08:00 - 16:30.
- Wednesday 08:00 - 16:30.
- Thursday 08:00 - 16:30.
- Friday 08:00 - 16:30.
- Saturday Closed.
- Sunday Closed.

Opening Times (Cardiology/ECG)

- Monday 09:00 - 12:30.
- Tuesday 09:00 - 12:30.
- Wednesday 09:00 - 12:30.
- Wednesday 13:00 - 16:30.
- Thursday 09:00 - 12:30.
- Thursday 13:00 - 16:30.
- Friday 09:00 - 12:30.
- Saturday Closed.
- Sunday Closed.

Department / Service (Outpatients 1 - 4)

Photos



1

2

3

4

5

6

7

Department / Service Access

View

- Outpatients 1 - 4 is located on the ground floor of the hospital.
- There is a/are door(s) leading into the department/service.
- The door(s) open(s) away from you (push).
- The door(s) is/are double width.
- The door(s) is/are permanently held open.
- The width of the door opening is 149cm.
- There is not a bell/buzzer.
- There is not an intercom.
- There is a hand sanitiser.
- The height of the hand sanitiser is 134cm (4ft 5in).
- There is not a door release button when exiting.
- There is level access throughout the department/service.
- There is clear signage on the department/service.
- The type of flooring is vinyl/laminate.
- There is flooring in the department/service which is shiny and could cause issues with glare or look slippery to some people.
- The department/service does not play background music.

- The lighting levels are good.

Department / Service Facilities

View

- This department/service has; a main reception, sub receptions, a waiting room/area, sub waiting areas, consultation rooms, a treatment room, accessible toilet facilities and ambulant toilet facilities.
- There are 9 consultation/treatment rooms in this department/service.
- A hearing assistance system is not available in the department/service.
- A mobile hoist is not available on the department/service.
- There are accessible toilet facilities within the department/service.
- There are standard toilet facilities within this department/service.

Reception (General Outpatients)

Photos

1

2

3

Reception

View

- The reception point is located ahead as you enter the department.
- The reception point is approximately 2m (2yd 7in) from the Outpatients Department entrance.
- The reception area/desk is clearly visible from the entrance.
- There is step free access to the reception point.
- There is a clear unobstructed route to the reception point.
- There are windows, glazed screens or mirrors behind the reception point which could adversely affect the ability of someone to lip read.

- The reception counter is not placed in front of a background which is patterned.
- The lighting levels at the reception point are good.
- The height of the reception counter is high (110cm+).
- There is sufficient space to write or sign documents on the counter.
- There is not a low section of the counter (76cm or below) available.
- The counter is staffed.
- There is not a bell to attract attention.
- There is not a hearing assistance system.
- Signs and universally accepted symbols or pictograms, indicating lifts, stairs, WCs, circulation routes and other parts of the building are provided in the reception area.

Comments

View

- There is a lowered section of the desk at a height of 78cm.

Waiting Room / Area (Waiting Area 1)

Photos

1

2



3



4

5

6

- There is a waiting room / area.

- The waiting room / area is approximately 4m from the Outpatients Department entrance.
- There is level access into the waiting room / area.
- There is not a/are not door(s) into the waiting room / area.
- The type of flooring is vinyl/laminate.
- There is a space for a wheelchair user to wait within the seating area.
- No chairs are permanently fixed.
- All chairs have armrests.
- No tables are permanently fixed.
- The surface height of the lowest table is 40cm.
- The tables do contrast visually with the floor.
- There is ample room for a wheelchair user to manoeuvre.
- Announcements are in person.
- The waiting room / area does not have background music playing.
- There is not a red flashing fire alarm beacon within the waiting room / area.
- There is a television.
- Subtitles are not available.
- Vending machines are not available.
- A water dispenser is not available.
- There is not a play area or toys/books for a child to play with.
- There is space for an assistance dog to rest within the seating area.
- Lighting levels are good.

Waiting Room / Area (Cardiology/ECG)

Photos

1



2

3

- There is a waiting room / area.
- The waiting room / area is approximately 19m from the Outpatients Department entrance.
- There is level access into the waiting room / area.
- There is not a/are not door(s) into the waiting room / area.
- The type of flooring is vinyl/laminate.
- There is a space for a wheelchair user to wait within the seating area.
- No chairs are permanently fixed.
- Some chairs with armrests are available.
- There is ample room for a wheelchair user to manoeuvre.
- Announcements are in person.
- The waiting room / area does not have background music playing.
- There is not a red flashing fire alarm beacon within the waiting room / area.
- There is not a television.
- Vending machines are not available.
- A water dispenser is not available.
- There is not a play area or toys/books for a child to play with.
- There is space for an assistance dog to rest within the seating area.
- Lighting levels are good.

Waiting Room / Area (Blood Testing)

Photos

1

2


3

4

5

- There is a waiting room / area.
- The waiting room / area is approximately 23m from the Outpatients Department entrance.
- There is level access into the waiting room / area.
- There is a/are door(s) into the waiting room / area.
- The door(s) open(s) away from you (push).
- The door(s) is/are single width.
- The door(s) may be difficult to open.
- The width of the door opening is 87cm (2ft 10in).
- The type of flooring is vinyl/laminate.
- There is a space for a wheelchair user to wait within the seating area.
- No chairs are permanently fixed.
- All chairs have armrests.
- There is ample room for a wheelchair user to manoeuvre.
- Announcements are in person.
- The waiting room / area does not have background music playing.
- There is not a red flashing fire alarm beacon within the waiting room / area.
- There is not a television.
- Vending machines are not available.
- A water dispenser is not available.
- There is not a play area or toys/books for a child to play with.
- There is space for an assistance dog to rest within the seating area.
- Lighting levels are good.

Consultation / Treatment Room (Consulting Room)

Photos

1

2

3

4

5

6

- There is / are 9 consultation / treatment room(s) available.
- The name / number of the room surveyed was; Consulting Room 3.
- There is level access to the consultation / treatment room.
- There is a/are door(s) into the consultation / treatment room.
- The door(s) open(s) away from you (push).
- The door(s) is/are single width.
- The door(s) may be difficult to open.
- The width of the door opening is 87cm (2ft 10in).
- The type of flooring is vinyl/laminate.
- There is room for a wheelchair user to manoeuvre.
- There is a bed / couch.
- The bed / couch is adjustable.
- A hoist can be brought in from another department.
- There is not sufficient space next to the bed/couch for a mobile hoist to operate.
- There is a chair.
- No chairs are permanently fixed.
- The chair(s) is not/are not adjustable.
- All chairs have armrests available.

- All tables are permanently fixed.
- There is not a hearing assistance system.
- The room does not have background music playing.
- There is not a red flashing fire alarm beacon within the room.
- Lighting levels are good.

Consultation / Treatment Room (Cardiology/ECG)

Photos

1

2

3

4

- There is / are 1 consultation / treatment room(s) available.
- The name / number of the room surveyed was; Cardiology/ECG.
- The consultation / treatment room is approximately 21m from the Outpatients Department entrance.
- There is level access to the consultation / treatment room.
- There is a/are door(s) into the consultation / treatment room.
- The door(s) open(s) away from you (push).
- The door(s) is/are single width with a locked extension leaf.
- The door(s) may be difficult to open.
- The width of the door opening is 87cm (2ft 10in).
- The type of flooring is vinyl/laminate.
- There is room for a wheelchair user to manoeuvre.
- There is a bed / couch.
- The bed / couch is adjustable.
- A hoist is not available.
- There is a chair.

- No chairs are permanently fixed.
- The chair(s) is not/are not adjustable.
- There are no chairs with armrests available.
- All tables are permanently fixed.
- There is not a hearing assistance system.
- The room does not have background music playing.
- There is not a red flashing fire alarm beacon within the room.
- Lighting levels are good.

Consultation / Treatment Room (Blood Testing)

Photos

1

2

3

4

- There is / are 1 consultation / treatment room(s) available.
- The name / number of the room surveyed was; Blood Testing.
- The consultation / treatment room is approximately 26m from the Outpatients Department entrance.
- There is level access to the consultation / treatment room.
- There is a/are door(s) into the consultation / treatment room.
- The door(s) open(s) away from you (push).
- The door(s) is/are single width.
- The door(s) may be difficult to open.
- The width of the door opening is 87cm (2ft 10in).
- The type of flooring is vinyl/laminate.
- There is room for a wheelchair user to manoeuvre.
- There is not a bed / couch.

- There is a chair.
- No chairs are permanently fixed.
- The chair(s) is/are adjustable.
- All chairs have armrests available.
- All tables are permanently fixed.
- There is not a hearing assistance system.
- The room does have background music playing.
- There is not a red flashing fire alarm beacon within the room.
- Lighting levels are good.

Accessible Toilet(s) (Waiting Area 1)

Photos

1

2

3

4

- There is an/are accessible toilet(s) available.

Location and Access

View

- This accessible toilet is located to the front right of the department as you enter.
- This accessible toilet is approximately 11m from the Outpatients Department entrance.
- There is step-free access to the accessible toilet.
- This is a shared toilet.
- A key is not required for the accessible toilet.
- There is pictorial signage on or near the toilet door.
- The contrast between the external door and wall is good.

- The door opens outwards.
- The door may be difficult to open.
- The door is locked by a twist lock.
- The width of the accessible toilet opening is 87cm (2ft 10in).
- The contrast between the internal door and wall is good.
- The door does not have a horizontal grab rail.

Toilet Features

View

- The dimensions of the accessible toilet are 198cm x 166cm (6ft 6in x 5ft 5in).
- The accessible toilet does not have an unobstructed minimum turning space of 150cm x 150cm.
- The height of the light switch/pull cord is 133cm from floor level.
- The lighting levels are good.
- There is a lateral transfer space.
- As you face the toilet pan the transfer space is on the left.
- The lateral transfer space is 117cm.
- There is a flush, however it is not on the transfer side.
- There is not a spatula type lever flush.
- There is a lever flush.
- There is a dropdown rail on the transfer side.
- The contrast between the dropdown rail(s) and wall is poor.
- There is a/are wall-mounted grab rail(s) available.
- As you face the toilet the wall-mounted grab rail(s) is/are on both sides.
- There is a vertical wall-mounted grab rail on the transfer side.
- There is a horizontal wall-mounted grab rail on the opposite side of the seat to the transfer space.
- The contrast between the wall-mounted grab rail(s) to the left of the toilet and wall is poor.

- The contrast between the wall-mounted grab rail(s) to the right of the toilet and wall is good.
- The contrast between the walls and floor is good.
- There is an emergency alarm.
- The emergency pull cord alarm was out of reach (higher than 10cm (4") from floor) when surveyed.
- There is not a red flashing fire alarm beacon within the toilet.
- Disposal facilities are available in the toilet.
- There is a/are general waste (with no lid) and clinical waste disposal units.
- There is a/are coat hook(s).
- The height of the coat hook is 168cm from the floor.

Additional Fixtures

View

- There is a mirror.
- The mirror is not placed at a lower level or at an angle for ease of use.
- The toilet has a backrest.
- The height of the toilet seat above floor level is 44cm (1ft 5in).
- The toilet seat colour contrast is poor.
- There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).
- The height of the toilet roll holder is 81cm (2ft 8in).
- The contrast between the toilet roll holder and the wall is good.
- There is a wash basin.
- The wash basin and tap(s) cannot be reached from seated on the toilet.
- The wash basin is placed higher than 74cm (2ft 5in).
- The height of the wash basin is 84cm (2ft 9in).
- There is a vertical wall-mounted grab rail on the right hand side of the wash basin.

- The contrast between the wash basin wall-mounted grab rail(s) and wall is poor.
- The wash basin tap type is lever.
- There is a wall fixed soap dispenser.
- The soap dispenser cannot be reached from seated on the toilet.
- The height of the soap dispenser is 111cm.
- There is a towel dispenser.
- The towel dispenser cannot be reached from seated on the toilet.
- The towel dispenser is placed higher than 100cm (3ft 3in).
- The height of the towel dispenser is 115cm (3ft 9in).
- The contrast between the towel dispenser and the wall is poor.
- There is not a hand dryer.

Comments

View

- The wash basin partially blocks the transfer space.

Accessible Toilet(s) (Cardiology/ECG and Blood Testing)

Photos

1

2

3

- There is an/are accessible toilet(s) available.

Location and Access

View

- This accessible toilet is located to the rear right of the department as you enter.

- This accessible toilet is approximately 20m from the Outpatients Department entrance.
- There is step-free access to the accessible toilet.
- This is a shared toilet.
- A key is not required for the accessible toilet.
- There is pictorial signage on or near the toilet door.
- The contrast between the external door and wall is good.
- The door opens inwards and outwards.
- The door may be difficult to open.
- The door is locked by a lever twist.
- The width of the accessible toilet opening is 87cm (2ft 10in).
- The contrast between the internal door and wall is good.
- The door does not have a horizontal grab rail.

Toilet Features

View

- The dimensions of the accessible toilet are 194cm x 251cm (6ft 4in x 8ft 3in).
- The accessible toilet does have an unobstructed minimum turning space of 150cm x 150cm.
- The height of the light switch/pull cord is 134cm from floor level.
- The lighting levels are good.
- There is a lateral transfer space.
- As you face the toilet pan the transfer space is on the left.
- The lateral transfer space is 119cm.
- The transfer space is obstructed by a waste disposal bin.
- There is a flush, however it is not on the transfer side.
- There is not a spatula type lever flush.
- There is a lever flush.
- There is a dropdown rail on the transfer side.
- The contrast between the dropdown rail(s) and wall is good.

- There is a/are wall-mounted grab rail(s) available.
- As you face the toilet the wall-mounted grab rail(s) is/are on both sides.
- There is a vertical wall-mounted grab rail on the transfer side.
- There is a horizontal wall-mounted grab rail on the opposite side of the seat to the transfer space.
- The contrast between the wall-mounted grab rail(s) and wall is good.
- The contrast between the walls and floor is good.
- There is an emergency alarm.
- The emergency pull cord alarm was out of reach (higher than 10cm (4") from floor) when surveyed.
- There is not a red flashing fire alarm beacon within the toilet.
- Disposal facilities are available in the toilet.
- There is a/are pedal bin and clinical waste disposal units.
- There is a/are coat hook(s).
- There are coat hooks in the toilet at 180cm and 188cm from the floor.

Additional Fixtures

View

- There is not a mirror.
- The toilet does not have a backrest or a cistern.
- The height of the toilet seat above floor level is 48cm (1ft 7in).
- The toilet seat colour contrast is poor.
- There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).
- The height of the toilet roll holder is 82cm (2ft 8in).
- The contrast between the toilet roll holder and the wall is poor.
- There is a wash basin.
- The wash basin and tap(s) cannot be reached from seated on the toilet.
- The wash basin is placed higher than 74cm (2ft 5in).

- The height of the wash basin is 83cm (2ft 9in).
- There is a vertical wall-mounted grab rail on the left hand side of the wash basin.
- The contrast between the wash basin wall-mounted grab rail(s) and wall is good.
- The wash basin tap type is lever.
- There is a wall fixed soap dispenser.
- The soap dispenser cannot be reached from seated on the toilet.
- The height of the soap dispenser is 98cm.
- There is a towel dispenser.
- The towel dispenser cannot be reached from seated on the toilet.
- The towel dispenser is placed higher than 100cm (3ft 3in).
- The height of the towel dispenser is 125cm (4ft 1in).
- The contrast between the towel dispenser and the wall is poor.
- There is not a hand dryer.

Standard Toilet(s)

Photos

1

2

3

4

- Standard toilet facilities are available.

Toilet Facilities

View

- The shared toilet is located to the rear right of the department.
- There is step-free access to the toilet(s).

- The standard toilet(s) is/are approximately 22m from the Outpatients Department entrance.
- There is pictorial signage on or near the toilet door.
- The colour contrast between the external toilet door(s) and wall(s) is good.
- The colour contrast between the internal toilet door(s) and wall(s) is good.
- The colour contrast between the walls and floor is good.
- Toilet seats do not have a good colour contrast.
- An ambulant toilet cubicle is available.
- There is a/are horizontal wall mounted rail(s) on the right as you face the toilet.
- The colour contrast of the horizontal wall mounted grab rail(s) in the ambulant cubicle(s) is poor.
- There is a/are vertical wall mounted rail(s) on the right as you face the toilet.
- The colour contrast of the vertical wall mounted grab rails in the ambulant cubicle(s) is poor.
- There is a/are dropdown rail(s) on the left as you face the ambulant toilet(s).
- The colour contrast of the dropdown rail(s) in the ambulant cubicle(s) is poor.
- The height of the wash basin(s) is 81cm.
- The wash basin(s) tap type is lever.
- There is a wall fixed soap dispenser.
- The wall fixed soap dispenser is located on the wall to the right of the wash basin.
- Lighting levels are good.

Related Access Guides

- To view other access guides that are related to this one please use the links below.
- **Chapel Allerton Hospital - Building Guide link (new tab) - click here (https://www.accessable.co.uk/leeds-teaching-hospitals-nhs-trust/chapel-allerton-hospital/access-guides/chapel-allerton-hospital-building-guide).**
- **Outpatients 5 - 7 link (new tab) - click here (https://www.accessable.co.uk/leeds-teaching-hospitals-nhs-trust/chapel-allerton-hospital/access-guides/outpatients-5-7).**
- **Outpatients 8 link (new tab) - click here (https://www.accessable.co.uk/leeds-teaching-hospitals-nhs-trust/chapel-allerton-hospital/access-guides/outpatients-8).**

COVID-19 Information

- The information in this section was taken in September 2020.
- Hand sanitisers are available inside the venue.
- Hand sanitisers are located throughout the hospital.
- There is not a limited number of people allowed inside.
- There is not a one-way system throughout.
- There is clear signage inside to help with social distancing.
- Social distancing signage is available at all reception points throughout the hospital, and at lifts.
- There are protective clear screens located at tills/counters.
- Protective clear screens are located at all receptions and most nurse's stations throughout the hospital.
- There is a maximum lift occupancy of 2 people in all lifts.
- The coffee shop operates a track and trace system with a QR code for the NHS COVID-19 app and a paper based system for those without a compatible smartphone.
- Only patients and their carers are permitted to enter the hospital. All visiting is currently suspended. Face masks or coverings must be worn in all areas of the building, and hands must be sanitised on entering the building. This is monitored by reception staff.